	Application No.	Applicant(s)
Notice of Allowability	10/817,621	WEATHERS ET AL.
	Examiner	Art Unit
	Esther O. Okezie	3652
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/06/06.		
2. The allowed claim(s) is/are <u>16,17,23 and 24</u> .		
 3.		
1) hereto or 2) to Paper No./Mail Date		
(b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the		
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGICA	AL MATERIAL.
Attachment(s)	5. Motion of Informal B	atent Application (PTO-152)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	, ,
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Dat	e
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material On Biological Material	8.	ent of Reasons for Allowance

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kathleen Harleston on 8/7/06.

The application has been amended as follows:

In claim 16, line 9: delete "first,"

In claim 24, line 1: delete "Claim 19" and replace with --Claim 16--

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figures 12-14 do not accurately describe a brace portion conical in shape and a frustum attached to the open end of the mount portion. The brace (38) is shown as a flat section and not a conical frustum. Figures 13-14 should be amended to show a conical frustum brace portion as claimed. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Application/Control Number: 10/817,621 Page 3

Art Unit: 3652

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Esther O. Okezie whose telephone number is (571) 272-8108. The examiner can normally be reached on Mon-Thurs 8-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen D. Lillis can be reached on (571) 272-6928. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EOO 8/07/06

EILEEN D. LILLIS SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600

Mallis